



RATED VOLTAGE: 120 VAC, 60 Hz
 ROTATION: CW (FRONT)
 NO LOAD SPEED: 15.0 RPM
 NO LOAD CURRENT: 0.11 A

Ⓑ

LOADED SPEED @ 4 IN-LB: 13.0 RPM
 LOADED CURRENT @ 4 IN-LB: 0.12 A
 STALL TORQUE: 10 IN-LB
 STALL CURRENT: 0.15 A

I/WE CERTIFY THAT SAMPLES OF THIS MOTOR HAVE BEEN FULLY TESTED BY THE UNDERSIGNED AND THAT ALL SPECIFICATIONS HAVE BEEN REVIEWED FOR PRODUCTION. MULTIPRODUCTS COMPANY, INC. IS NOT RESPONSIBLE FOR MOTORS THAT FAIL IN THE FIELD DUE TO INSUFFICIENT TESTING OF THE SAMPLE MOTORS. I/WE AGREE TO PROVIDE MULTIPRODUCTS COMPANY, INC. WITH CURRENT DRAWINGS AND IN-HOUSE TEST PROCEDURES AS THEY BECOME AVAILABLE. ANY CHANGES THAT I/WE MAY MAKE WHICH OCCUR AFTER THE DATE SHOWN ARE SUBJECT TO REVIEW AND MAY AFFECT UNIT PRICE AND/OR DELIVERY DATES.

B	CHANGED TO UL14, REVISED PERF INFO	2/1/2019	3252
A	CONVERTED TO TB2001, REDRAWN IN SOLIDWORKS	7/8/2016	3207
REV.	DESCRIPTION	DATE	ECO#

TOLERANCES

X.XX: ±.010
 X.XXX: ±.005
 FRACTION: ±1/64
 ANGLE: ±2°

UNLESS OTHERWISE SPECIFIED



MULTI PRODUCTS
 Company, Inc.

PART NAME/DESCRIPTION: **CHARMASTER**

DRAWN BY: DAB	DATE: 7/7/2016	SCALE: 0.5:1	MATERIAL: SEE BOM Ⓑ
CHK'D BY: DMR	DATE: 7/7/2016	PART NUMBER: MOD-UL14V-2447B	
APPR'D BY: RP	DATE: 7/7/2016		

SIGNATURE _____ PRINT NAME _____ DATE _____
 IN ORDER TO BEGIN PRODUCTION, MULTIPRODUCTS COMPANY, INC. MUST HAVE SIGNED APPROVAL.