


RATED VOLTAGE: 120 VAC, 60 Hz  
 ROTATION: CCW  
 NO LOAD SPEED: 2.2 RPM  
 NO LOAD CURRENT: 0.11 A

LOADED SPEED @ 20 IN-LB: 2.0 RPM  
 LOADED CURRENT @ 20 IN-LB: 0.12 A  
 STALL TORQUE: 70 IN-LB  
 STALL CURRENT: 0.16 A

I/WE CERTIFY THAT SAMPLES OF THIS MOTOR HAVE BEEN FULLY TESTED BY THE UNDERSIGNED AND THAT ALL SPECIFICATIONS HAVE BEEN REVIEWED FOR PRODUCTION. MULTIPRODUCTS COMPANY, INC. IS NOT RESPONSIBLE FOR MOTORS THAT FAIL IN THE FIELD DUE TO INSUFFICIENT TESTING OF THE SAMPLE MOTORS. I/WE AGREE TO PROVIDE MULTIPRODUCTS COMPANY, INC. WITH CURRENT DRAWINGS AND IN-HOUSE TEST PROCEDURES AS THEY BECOME AVAILABLE. ANY CHANGES THAT I/WE MAY MAKE WHICH OCCUR AFTER THE DATE SHOWN ARE SUBJECT TO REVIEW AND MAY AFFECT UNIT PRICE AND/OR DELIVERY DATES.

SIGNATURE \_\_\_\_\_ PRINT NAME \_\_\_\_\_ DATE \_\_\_\_\_  
 IN ORDER TO BEGIN PRODUCTION, MULTIPRODUCTS COMPANY, INC. MUST HAVE SIGNED APPROVAL.

REV.	DESCRIPTION	DATE	ECO#
 <b>MULTI PRODUCTS</b> Company, Inc.			
PART NAME/DESCRIPTION: <b>AIR BALANCE</b>			
DRAWN BY: DAB		DATE: 9/23/2020	SCALE: 0.5:1
CHK'D BY: DMR		DATE: 9/23/2020	MATERIAL: SEE BOM
APPR'D BY: RP		DATE: 9/23/2020	PART NUMBER: <b>MOD-UL14V-2430-3L</b>

**TOLERANCES**  
 X.XX : ±0.10  
 X.XXX : ±0.05  
 FRACTION : ±1/64  
 ANGLE : ±2°  
 UNLESS OTHERWISE SPECIFIED