



RATED VOLTAGE: 120 VAC, 60 Hz
 ROTATION: CW
 NO LOAD SPEED: 2.9 RPM
 NO LOAD CURRENT: 0.11 A

Ⓒ LOADED SPEED @ 20 IN-LB: 2.8 RPM
 Ⓓ LOADED CURRENT @ 20 IN-LB: 0.11 A
 Ⓔ STALL TORQUE: 54 IN-LB
 Ⓕ STALL CURRENT: 0.14 A

I/WE CERTIFY THAT SAMPLES OF THIS MOTOR HAVE BEEN FULLY TESTED BY THE UNDERSIGNED AND THAT ALL SPECIFICATIONS HAVE BEEN REVIEWED FOR PRODUCTION. MULTIPRODUCTS COMPANY, INC. IS NOT RESPONSIBLE FOR MOTORS THAT FAIL IN THE FIELD DUE TO INSUFFICIENT TESTING OF THE SAMPLE MOTORS. I/WE AGREE TO PROVIDE MULTIPRODUCTS COMPANY, INC. WITH CURRENT DRAWINGS AND IN-HOUSE TEST PROCEDURES AS THEY BECOME AVAILABLE. ANY CHANGES THAT I/WE MAY MAKE WHICH OCCUR AFTER THE DATE SHOWN ARE SUBJECT TO REVIEW AND MAY AFFECT UNIT PRICE AND/OR DELIVERY DATES.

E	UPGRADED TO UL14V, REVISED PERF DATA	9/13/2023	3360
D	UPGRADED TO 2.8 RPM GEARING, REVISED PERF DATA	1/30/2023	3316
C	CONVERTED TO UL6V, UPDATED PERF INFO, REDRAWN	10/8/2018	
REV.	DESCRIPTION	DATE	ECO#

TOLERANCES

X.XX: ±.010

X.XXX: ±.005

FRACTION: ±1/64

ANGLE: ±2°

UNLESS OTHERWISE SPECIFIED



MULTI PRODUCTS
 Company, Inc.

PART NAME/DESCRIPTION: **GREENHECK (300019)**

DRAWN BY: DAB	DATE: 5/24/2011	SCALE: 0.5:1	MATERIAL: SEE BOM Ⓒ
CHK'D BY: DMR	DATE: 5/24/2011	PART NUMBER: MOD-UL14V-2469	
APPR'D BY: -	DATE:		

SIGNATURE _____ PRINT NAME _____ DATE _____
 IN ORDER TO BEGIN PRODUCTION, MULTIPRODUCTS COMPANY, INC. MUST HAVE SIGNED APPROVAL.